






You will be billed in Euro so USD prices are for information only
shipping will be on top of the price (3.50 euros for 2 altimeters).

	Price in Euro	Price in USD	Euro/dollar Exchange rate	Description
Alti Uno 			1,06	This is a 1 pyro output kit that can be manually assembled. Output will fire at apogee
PCB without componants	2	2,12		
PCB + attiny 85 programmed	5	5,3		
complete kit except pressure sensor	12	12,72		
complete kit	16	16,96		
Kit already assembled and tested	18	19,08		
Alti Duo Mini 				This is a 2 pyro output kit (dual deployment) that can be manually assembled. Output 1 will fire at apogee and output 2 will fire 50m, 100m, 150m or 200m (jumper selectable) before landing. Note that the altimeter can be re-programmed on request in order to be used as a timer (ask when ordering). Using the timer you will be able to fire pyro out1 1,3, 5 or 7 second after lift off and pyro out2 2, 4, 6, or 8 second after lift off.

PCB without componants	2,5	2,65
PCB + attiny 84 programmed	6,5	6,89
complete kit except pressure sensor	14	14,84
complete kit	18	19,08
Kit already assembled and tested	20	21,2

Fully assembled SMT altimeters		
Alti Uno Smt		
	25	26,5
AltiDuo SMT V2 (identical to the other one but smaller and can use 3.7v batteries)		
	30	31,8
AltiDuo SMT + 1 battery	34,5	36,57
AltiDuo SMT + 1 battery + charger	37	39,22
AltiDuo SMT + 2 batteries + charger	40	42,4



		
2 mm screw and spacer (4 of each)	1	1,06
Jumper (Per 10)	1	1,06

For all altimeters but SMT's use 2.5mm screws.
 For SMT's use 2mm screw